

CENTRAL POWER RESEARCH INSTITUTE



TEST REPORT

Test Report Number : CPRI BLREATD21T0396 **Date:** 25 November 2021

Name and Address of the Customer : M/s. Shri Vaari Electricals Pvt Ltd,
C-37, Thiru-Vi-Ka Industrial Estate,
Guindy, Chennai – 600032.

Name and Address of the Manufacturer : M/s. Shri Vaari Electricals Pvt Ltd,
C-37, Thiru-Vi-Ka Industrial Estate,
Guindy, Chennai – 600032.

Particulars of sample tested : 11kV Outdoor RMG Panel

Type : Outdoor

Description of test sample : Refer Sheet 2 of 5

Serial Number : SVE/112-03

Number of samples tested : One

Date(s) of Test(s) : 22 November 2021 and 23 November 2021

CPRI Sample code Number(s). : EATDIP21S0202

Particulars of tests conducted : IP 55 Category 2 Test

Test in accordance with Standard/Specification : IEC 60529: Edition 2.2, 2013-08

Sampling Plan : Not Applicable

Customer's Requirement : Nil

Deviations if any : Nil

Name of the witnessing persons

Customers representative : Mr. B. Jagan Mohan, GM Operations

Other than customer's representatives : None

Test subcontracted with address of the laboratory : None

Documents constituting this report (in words)

Number of Sheets : Five

Number of Oscillogram(s) : Nil


Number of Graph(s) : Nil


Number of Photograph(s) : Six

Number of Test Circuit Diagram(s) : Nil

Number of Drawing(s) : Five


(D. Venkatesh)
Test Engineer




(Dr. P. Chandra Sekhar)
Head of Division
Reviewed and Authorized by

ULR-TC5452210EADT0396F
Discipline: Electrical Testing
Group: Environmental Test

ELECTRICAL APPLIANCES TECHNOLOGY DIVISION
P.B.NO.8066, SADASHIVANAGAR P.O
PROF.SIR.C.V.RAMAN ROAD, BANGALORE - 560 080, INDIA
Tele: +91 (0) 80-22072340, +91 (0) 80-22072344

Sheet 1 of 5

CENTRAL POWER RESEARCH INSTITUTE



TEST REPORT

Test Report Number: CPRIBLREATD21T0396

Date: 25 November 2021

CPRI

DESCRIPTION OF THE SAMPLE TESTED (As assigned by the manufacturer)

Sample : 11kV Outdoor RMG Panel
Rated Voltage : 11kV
Rated Current : 1250A, 26.3kA/3sec


(D. Venkatesh)
Test Engineer